



SURAT EXIM PVT. LTD.

An ISO 9001 : 2008 Certified Company

OFFICE:

2030, JASH TEXTILE MARKET,
RING ROAD, SURAT-395 002, (GUJ.)
PH: 0261- 2336667




FACTORY:

PLOT NO. 146 / A, SSEZ
SACHIN SURAT - 394 230 (GUJ.)
Mo. 9227455399

E- Mail: suratexim@yahoo.com

SPRAYER & CUTTING TOOLS (NEW LAUNCH)

(Become our Member/Dealer to enjoy discount upto 5% - 30%)

MODEL	IMAGE	SPECIFICATION	PRICE (Rs.)
SEPL_EAS01 Battery Operated Sprayer		Battery: 12V / 7.2Ah Capacity: 16Liter Pressure: ≈0.2-0.4 Mpa	2249
SEPL_SAS03 Solar Sprayer		Solar Panel: 20W Battery: 12V / 7.2Ah Capacity: 16Liter Pressure: ≈0.2-0.4 Mpa	3399
SEPL_SAS02 Solar Sprayer		Solar Panel: 20W Battery: 12V / 7.2Ah Inbuilt: Solar Charge Controller Charging Indicator: Green Led Low Battery Indicator: Red Led Capacity: 16Liter Pressure: ≈0.2-0.4 Mpa	4499



Decide with Confidence



SURAT EXIM PVT. LTD.

An ISO 9001 : 2008 Certified Company



OFFICE:

2030, JASH TEXTILE MARKET,
RING ROAD, SURAT-395 002, (GUJ.)
PH: 0261- 2336667

FACTORY:

PLOT NO. 146 / A, SSEZ
SACHIN SURAT - 394 230 (GUJ.)
Mo. 9227455399

E- Mail: suratexim@yahoo.com

<p>SEPL _SAS01</p> <p>Solar Agriculture Farmer Sprayer</p>		<p>Solar Panel: 20W Battery: 12V / 7.2Ah</p> <p>Capacity: 16Liter Pressure: ≈0.2-0.4 Mpa</p> <p>Charging Indicator: Green Led Low Battery Indicator: Red Led</p> <p>Inbuilt: Solar Charge Controller Inbuilt: Mobile Charger Output Pin</p> <p>Inbuilt: 12V DC Fan Output Inbuilt: DC Light Output</p> <p>12V DC Fan: 1Pc. 1W DC LED Bulb: 1Pc. 3W DC LED Bulb: 1Pc.</p> <p>Charging: Solar & Electric Backup: ≈7-8 Hrs.</p>	<p>6599</p>
<p>SEPL _ABC01</p> <p>Brush Cutter</p>		<p>Engine Type: 1E44F-3A Power: 1.5kw/6500 r/min</p> <p>Displacement: 51.2cc Ignition: CDI Fuel mixture ration: 25:1</p> <p>Protector: Little Black or Big Red Blade: Little Black Nylon Cutter, Metal Starter System: Recoil</p> <p>Shaft Diameter: 26mm Shaft Length: 1530mm bent shaft</p> <p>NW /GW: 9/11.2kg Engine Carton: 330*230*330mm Shaft Carton: 1650*110*140mm</p>	<p>10749</p>



Decide with Confidence



SURAT EXIM PVT. LTD.

An ISO 9001 : 2008 Certified Company




OFFICE:

2030, JASH TEXTILE MARKET,
RING ROAD, SURAT-395 002, (GUJ.)
PH: 0261- 2336667

E- Mail: suratexim@yahoo.com

FACTORY:

PLOT NO. 146 / A, SSEZ
SACHIN SURAT - 394 230 (GUJ.)
Mo. 9227455399

SEPL _ATP01 Tree Pruner		Nylon Rope: 3.1m with Plastic Grip Steel Head Holder High Carbon Steel Blade with transparent blade Pole Length: 26ft 5 extension Pole Length: 18ft 4 extension	8669
SEPL _AEA01 Earth Auger		Engine Type: 2 Stroke, Single cylinder & Air-forced cool Rated Power: 1.4kw/6500 r/min Displacement: 51.7cc Fuel Tank Capacity: 1200ml Auger Bits: Ø100*760 Auger Bits Packing NW/GW: 4.6/5.2kg Overall Packing NW/GW: 8.6/10.5kg	14649
SEPL _AMT01 Mini Tiller		Engine Type: 1E44F-6A, 2 Stroke, Single cylinder & Air cooling Power: 2.2 Hp/6500rpm Displacement: 49cc Working Width: 30cm Working Depth: 10-15cm GW/NW: 18/16kg Carton Size: 78*49*37cm	14699



Decide with Confidence



SURAT EXIM PVT. LTD.

An ISO 9001 : 2008 Certified Company

OFFICE:

2030, JASH TEXTILE MARKET,
RING ROAD, SURAT-395 002, (GUJ.)
PH: 0261- 2336667

FACTORY:

PLOT NO. 146 / A, SSEZ
SACHIN SURAT - 394 230 (GUJ.)
Mo. 9227455399

E- Mail: suratexim@yahoo.com

<p>SEPL _ACS01</p> <p>Pole Chain Saw</p>		<p>Engine Type: 2 Stroke, Single cylinder & Air-forced cool Power: 0.85kw/7500r/min</p> <p>Displacement: 25.4cc Fuel Tank Capacity: 500ml Chain OilCapacity: 140ml</p> <p>Bar Length: 10"/12" Working Shaft Length: 1680+800mm</p> <p>NW /GW: 6/7.5kg Engine Packing Size: 28*24*28.5cm Working Shaft Size: 174.5*19*9cm</p>	<p>15949</p>
<p>SEPL _ACS02</p> <p>Chain Saw</p>		<p>Engine Type: 2 Stroke, Single cylinder & Air-forced cool Power: 2.5kw / 8500r/min</p> <p>Displacement: 54cc Fuel Tank Capacity: 520ml Chain Oil Capacity: 260ml</p> <p>Bar Length: 20" NW /GW: 6.2/8.0kg</p>	<p>10749</p>
<p>SEPL_S AS225</p> <p>Sprayer Pump</p>		<p>Volt: 12v DC Sprayer Pump</p> <p>Pressure: 100PSI</p>	<p>999</p>



Decide with Confidence